

**Herkunftsdeklaration**

Holzart	weitere Handelsnamen	Botanischer Name	Herkunftsländer	Anteil CH-Holz
Afrormosia		Afrormosia elata	CL GH NG CM CD	0%
Abachi-Ayous	Abachi	Triplochiton scleroxylon	NG CM GH	0%
Abachi-Wawa	Abachi	Triplochiton scleroxylon	GH	0%
Ahorn amerik.	kanad. Ahorn, Maple	Acer saccharum	US CA	0%
Ahorn europ.		Acer pseudoplatanus	CH AT	90%
Akazie	Robinie	Robinia pseudoacacia	CH HU AT	0%
Amberbaum	Red Gum, Satin Nuss	Liquidambar styraciflua	US	0%
Apfelbaum		Malus communis	CH AT	20%
Arve	Zirbe	Pinus cembra	AT IT CH	5%
Birke		Betula pendula	LV LT CH	5%
Birnbaum		Pyrus communis	CH IT AT	20%
Bubinga	Kevazinga	Guibourtia demeusei	CM	0%
Buche	Rotbuche	Fagus sylvatica	CH AT DE	80%
Douglasie europ.		Pseudotsuga menziesii	CH DE AT	90%
Doussie	Afzelia	Afzelia bipindensis	GH CD	0%
Eibe		Taxus baccata	CH AT DE	80%
Eiche europ.		Quercus robur	CH DE FR AT RO HR HU SI	30%
Eldbeere	Schweizer Birnbaum	Sorbus torminalis	FR AT CH	10%
Erle	Schwarzerle, Alder	Alnus glutinosa	CH HU AT	25%
Esche		Fraxinus exelsior	CH HU	90%
Fichte	Rottanne	Pinus abies	CH AT DE IT HR	60%
Föhre	Kiefer	Pinus sylvestris	CH AT DE	90%
Hemlock		Tsuga heterophylla	US CA	0%
Ipé		Tabebuia serratifolia	BR	0%
Iroko	Kambala	Chlorophora exelsa	GH CI CD	0%
Jatoba	Coubaril	Hymenaea courbaril	GY GH	0%
Kastanie	Edelkastanie	Castanea sativa	FR IT	10%
Kirschbaum amerik.	Black Cherry	Prunus serotina	US	0%
Kirschbaum europ.		Prunus avium	CH RO HR AT IT	20%
Koto	Anatolia, Pterygota	Pterygota macrocarpa	GH CD CM	0%
Lärche heimisch		Larix decidua	CH AT DE IT	20%
Lärche sibirisch		Larix sibirica	RU	0%
Limba		Terminalia superba	CI GH CM	0%
Linde		Tilia cordata	CH IT	50%

**Herkunftsdeklaration**

Holzart	weitere Handelsnamen	Botanischer Name	Herkunftsländer	Anteil CH-Holz
Merbau		Intsia bijuga	ID MY	0%
Nussbaum amerik.	Black Walnut	Juglans nigra	US	0%
Nussbaum europ.	europ. Walnut	Juglans regia	CH FR HR IT	10%
Olivenbaum		Olea europea	IT	0%
Oregon Pine	Douglas Fir	Pseudotsuga menziesii	US CA	0%
Ovengkol	Amazakoue	Guibourtia ehie	CI	0%
Padouk		Pterocarpus soyauxii	CM	0%
Pappel		Populus nigra	CH	100%
Platane		Platanus x acerifolia	FR IT	5%
Ramin		Gonystylus bancanus	MY ID	0%
Roteiche		Quercus rubra	CH	100%
Rotzeder	Western Red Cedar	Juniperus virginiana	US CA	0%
Sapelli		Entandrophragma cylindricum	CM CD	0%
Sipo	Utile	Entandrophragma utile	CD GA GH	0%
Spitzahorn		Acer platanoides	CH	100%
Sucupira		Diploptropis purpurea	BR	0%
Teak		Textona grandis	MM	0%
Tineo	Indischer Apfelbaum	Weinmannia trichosperma	CL AR	0%
Tulpenbaum	Tulipier, Yellow Poplar	Liriodendron tulipifera	US CA	0%
Ulme	Rüster	Ulmus carpinifolia	CH AT IT DE	80%
Weisstanne	Tanne	Abies alba	CH AT	90%
Wenge	Panga Panga	Millettia laurentii	CM CD	0%
Weymouthföhre		Pinus strobus	CH	100%
Zebrano	Zingana	Microberlinia brazzavillensis	GA CD CM	0%
Zwetschgenbaum		Prunus domestica	CH AT	20%

